





# THE DOOR WITH MORE.

For a complete list of products, visit Steel-Craft.ca

# **VISION LITE & COLOUR OPTIONS**

#### **ESTEEM SERIES**



#### WEATHERSTRIPPING

- Bottom weatherstripping:
   U-type arctic grade vinyl
- Section interface: arctic grade vinyl bubble-shaped weatherstrip at all section meeting rails
- Jamb: anodized or painted aluminum with two-point flexible arctic grade vinyl weatherstrip
- Header: anodized or painted aluminum with two-point flexible arctic grade vinyl weatherstrip

# DOOR FACE HARDWARE

- Graduated end hinges and centre hinges made from galvanized steel
- Heavy duty rollers with 10 grade heat-treated and outer races with 10 floating ball bearings

#### **COUNTERBALANCE SYSTEM**

- Class II oil tempered ASTM A229 wire, minimum 10,000 cycle torsion springs on continuous steel shaft
- Aircraft quality galvanized lift cables with a minimum safety factor of 7 to 1

#### **FRAMES**

- Thickness: 1.8 mm/0.071";
   3 mm/0.118" at fastener locations
- Standard Top/Bottom/End Stiles: 162 mm/6.375"
- Intermediate Stiles: 76 mm/3.0"

### **INSULATED ALUMINUM PANEL**

• 1.27 mm thick aluminum sheet material insulated and sealed to door frame

#### **FINISH**

 Anodizing applied to #17 clear anodized Architectural Class II and is in accordance with AA-M12CC22A31 (Aluminum Association) specifications.
 Painted product (special order) powdercoated to AAMA 2603 standards

# TEMPERED GLASS, POLYCARBONATE OR INSULATED ALUMINUM PANEL

 All glazing materials sealed to door frame with butyl tape and held securely with rigid PVC snap-in mouldings

#### **STRUTTING**

- Doors over 11'-0" in width shall be reinforced with 16Ga galvanized steel "Z" brace per section
- Anodizing applied to #17 clear anodized Architectural Class II and is in accordance with AA-M12CC22A31 (Aluminum Association) specifications
- Strutting required for doors wider than 3,353 mm

#### **TRACKS**

 50 mm or 75 mm wide galvanized steel tracks



## STANDARD VISION LITES OPTIONS

Consult Steel-Craft for additional custom glass options.

#### **GLASS**

Available in tempered single pane and tempered sealed units. Glass options include Clear, Satin Privacy (Frosted), Dark Tint Clear, Dark Tint Privacy and Bronze Reflective.

Clear

Satin Privacy

Bronze Reflective

Dark Tint Privacy

NEW

Dark Tint Clear

## THERMOCLEAR POLYCARBONATE

Available in Triple Wall 16mm. Colour options include Clear, Bronze, Blue and Green.

Clear Lexan Bronze Lexan

Blue Lexan



#### STANDARD ANODIZED FINISH

Additional custom anodizing colours are available, please consult factory for details.

Clear

#### WOODGRAIN FINISH COLOUR OPTIONS





Highlight the classic feel of your home while benefitting from the durability of an aluminum garage door. These doors have a low-maintenance finish that requires no staining or painting and, unlike real wood, they will not warp, shrink, peel, or crack.

## STANDARD PAINTING COLOUR OPTIONS A full selection of custom paint colours are available, please consult factory for details.

#### **MATTE FINISH**

Ano-Light Bronze Ano-Medium Bronze Ano-Dark Bronze Ano-Black

GLOSS FINISH

Black Charcoal Light Brown Dark Brown Sable Grey Sandstone Oyster Grey

Linen Light Green Dark Green Light Blue Dark Blue Red

# **ESTEEM SERIES**

The Esteem Series of aluminum doors brings a modern look to any home. These doors can be custom painted, filled with coloured glass and are available in a wide variety of sizes. Increase your curb appeal with window designs that suit your home, while benefitting from the durability of a sturdy aluminum door.

# **Standard Layouts**

**FOUR SECTION - 2 PANEL** 8' x 7' 8' x 8' 9' x 7' 9' x 8' **FOUR SECTION - 3 PANEL** 10' x 7' 10' x 8' 12' x 7' 12' x 8' **FOUR SECTION - 4 PANEL** 14' x 7' 14' x 8' 16' x 7' 16' x 8' **FOUR SECTION - 5 PANEL** 

**Vancouver** 1-800-361-3667

1-800-561-9871

18' x 7'

Kelowna Toro 1-800-880-0755 1-80 Calgary

Edmonton 1-800-463-3667 Toronto 1-800-465-7091 Steel-Craft Door Products LTD 13504 St. Albert Trail Edmonton, Alberta T5L 4P4

18' x 8'

www.steel-craft.ca





